

You can check the authenticity of the form by scanning the QR code



Full Name: **TEST TEST TEST**
Date of birth: 01.01.2020 (1 y.o.) Sex: male
Biomaterial registration: 17.11.2021
Biomaterial: Serum;

Laboratory Id: 3301294988
Customer: **Test**
Executor: **LLC "DNKOM"**, Address: **Streletsky 4-y passage, d 4, k 1**

Infectious serology

| Parameter | Result | Unit | Reference values |
|---|----------------|---------|--------------------------------------|
| Quantitation antibodies to RBD domain S1 of the protein SARS-CoV-2, IgG (Abbott Laboratories, EU; CMIA) | 1500,00 | AU/ml | <50,0 - negative >50,0 - positive |
| Quantitation antibodies to RBD domain S1 of the protein SARS-CoV-2, IgG (Abbott Laboratories, EU; CMIA) | 213,00 | BAU/ml* | <7,1 - negative >7,1 - positive |
| Antibodies to SARS-CoV2 (COVID-19) IgM (Abbott Laboratories, EU; CLIA) | 3,20 | U | <1- negative >= 1 - positive |

Commentary on analysis: : Positive result is not a cause for diagnosing acute coronavirus infection. The investigation is not an alternative of PCR-based diagnostics aiming to detect COVID-19 agent.

Commentary on analysis: *according to the requirement of the Federal Service for Healthcare Supervision (Roszdravnadzor) No. 02i-840/21 of 05.07.2021 on the provision of research results using conventional BAU units - "binding antibody units" ("binding antibody units") (BAU/ml), approved by WHO.

Analysis execution date: **17.11.2021 12:11** The results approved by: **Lanina N. V.**



Covid-19 Free travel mobile App QR Code

Scan the QR code using the Covid-19 Free travel mobile app to get the results in the app.

We are not responsible for the products and services provided by the Covid-19 Free travel mobile app. If you have any comments or questions about the Covid-19 Free travel mobile app, please contact support@covidfreetravel.org.



Ф.И.О.: **ТЕСТ ТЕСТ ТЕСТ**

Дата рождения: 01.01.2020 (1 г.) Пол: М

Регистрация биоматериала: 17.11.2021

Биоматериал: Кровь (сыворотка);

Заявка №: 3301294988

 Заказчик: **"Полное наименование
юридического лица"**

 Исполнитель: **ООО "ДНКМ"**


Инфекционная серология

| Показатель | Результат | Ед. изм. | Референсные значения |
|---|----------------|----------|--|
| Количественное определение антител к RBD домену S1 белка вируса SARS-CoV-2, IgG (Abbott Laboratories, EU; ИХЛА) | 1500,00 | AU/ml | <50,0 - отрицательно >50,0 - положительно |
| Антитела к S белку вируса SARS-CoV2 (COVID-19) IgM (Abbott Laboratories, EU; ИХЛА) | 3,20 | УЕ | < 1 - отрицательно ≥ 1 - положительно |
| Количественное определение антител к RBD домену S1 белка вируса SARS-CoV-2, IgG (Abbott Laboratories, EU; ИХЛА) | 213,00 | BAU/мл* | <7,1 - отрицательно >7,1 - положительно |

 Дата выполнения исследования: **17.11.2021 12:11** Результаты одобрил: **Ланина Н. В.**


QR-код для приложения «Путешествую без Covid-19»

Отсканируйте код с помощью мобильного приложения Путешествую без Covid-19 для получения результатов исследования в приложении.

Лаборатория ДНКМ не несет ответственности за работу приложения. По вопросам, связанным с работой приложения, обращайтесь на support@covidfreetravel.org.

